

# Rockwell Delta jointers bring a new dimension of skill to home workshops.



**\$119<sup>99</sup>**

**Model 37-290**  
(Stand and dust chute extra)

## 4" Deluxe Jointer

Ruggedly built, economically priced precision jointer perfect for home workshop, cabinet shop and building site. Features sealed, lubricated-for-life ball bearing cutterhead, double-tilt fence with positive stops at 90° and 45° right and left, fully adjustable table with dovetailed ways and adjustable gibs, precision ground and balanced high-speed steel knives.

**Standard Equipment:** Basic machine, cutterhead guard, fence with dual-control handle, cutterhead pulley and cutterhead. 72 lbs. Motor Optional.

**Model 37-290** ..... \$119.99

## 4" Deluxe Jointer with Stand and Dust Chute

Includes Model 37-290 standard equipment, plus stand, dust chute, V-belt and 3/8" bore motor pulley. 109 lbs. Motor Optional.

**Model 37-269** ..... \$139.99

Machine	4" Jointer
Speed (when equipped with optional 3450 rpm motor)	4200 RPM; 12,600 Cuts Per Minute
Capacities	4" Wide, 1/4" Deep, 1/4" x 4" Rabbet
Fence Size	3" x 20"



**\$179<sup>99</sup>**

**Model 37-600**  
(Stand, dust chute, V-belt and switch extra)

## 6" Jointer

Count on this workhorse for your most demanding jointing and surfacing requirements. Big 6" wide x 3/8" deep jointing and rabbeting capacity. Lubricated-for-life ball bearing cutterhead with high-speed steel knives for longer cutting life. Center mounted fence with 90° positive stop, tilts 45° right and left. Complete cutterhead guarding for maximum safety.

**Standard Equipment:** Basic machine, knives, tilting fence, cutterhead, cutterhead pulley and safety knife guard. 94 lbs. Motor Optional.

**Model 37-600** ..... \$179.99


Machine Data	6" Jointer
Speed (when equipped with optional 1725 rpm motor)	4200 RPM; 12,000 Cuts Per Minute
Capacities	6" Wide, 3/8" Deep, 3/8" x 6" Rabbet
Fence Size	4 1/4" x 27 1/2"
Table Size	6 1/4" x 35 1/2"

## Deluxe 9" Saw / 4" Jointer Combination With Motor and Stand "Ready-To-Run"

Two of the most used home workshop woodworking tools from Rockwell—9" Deluxe Builders' Saw and 4" Deluxe Jointer—mounted on one stand, powered by one motor! Ideal for shops with limited space.

**\$359<sup>99</sup>**

**Model 34-649**  
(Extension wing extra)



**Standard Equipment:** 34-643 Saw with blade guard and miter gauge (see page 17 for catalog listing), 37-290 Jointer (see listing above), jointer raising block, V-belt and motor pulley group, stand and 1 HP motor with remote control switch. 261 lbs.

**Model 34-649** ..... \$359.99

Machine Data	Saw	Jointer
Speed	3800 RPM	3600 RPM; 10,800 Cuts Per Minute
Capacities	2 3/4" at 90°; 2" at 45°; 24" Rip	4" Wide, 1/4" Deep
Table Size	22" x 15"	5 1/4" x 27 1/4"
Blade Size	9" Diameter, 3/8" Arbor	
Fence Size		3 1/4" x 21 1/2"; Tilts 45° R and L
Motor	1 HP, Capacitor Start, 3450 RPM, 115 Volt, 3/8" Double Shaft	

## Recommended Motors for 4" and 6" Jointers

1/2 HP heavy duty (ball bearings), capacitor start, 3450 RPM, 115V, with integral manual reset and thermal overload protection.

**Model 62-144** ..... \$34.99

1/2 HP standard duty (sleeve bearings), split phase, 3450 RPM, 115V.

**Model 62-143** ..... \$54.99

"Getting the most out of your saw and jointer handbook. 34-470—\$2.00



## Rockwell quality Jointer accessories



### Jointer Knives

Set of three. High Speed Steel.  
No. 37-802. For 4" Jointers .... \$6.95  
No. 37-659. For 6" Jointer .... \$10.75

### 6" Jointer Accessory Package

No. 37-606. Includes steel stand, dust chute, motor pulley and V-belt. .... \$34.99

### Stands

No. 50-723 For 4" jointer. .... \$19.99  
No. 37-601 For 6" jointer. .... \$22.95

### Retractable Casters

No. 49-363 For 50-723 stand. .... \$22.99  
No. 50-724 For 37-601 stand. .... \$24.99  
No. 50-725 For Saw/jointer stand. .... \$24.99



# Rockwell Delta shapers give you unlimited moulding design capability



**\$134<sup>99</sup>**

**Model 43-110**  
(Stand and guard extra)

## Wood Shaper

Ruggedly built, low cost shaper offers unlimited possibilities for making mouldings on straight, internal and external, curved and irregular surfaces. Handles 1/2" hole standard 3-lip shaper cutters and cope cutters using 1/2" stub spindle accessory. Short, rigid, lubricated-for-life ball bearing drive spindle for accurate, chatter-free shaping. Single knob fence adjustment. Large independently adjustable fence halves. Complete with belt and pulley guard for extra safety.

**Standard Equipment.** Basic machine, fence, 1/2" spindle, table insert, starting pin, belt and pulley guard, ring guard spindle and wrenches 87 lbs. Motor Optional.

**Model 43-110** ..... \$134.99

## Wood Shaper with 1/2 HP Motor and Stand

"Ready-To-Run"

Includes Model 43-110 standard equipment, plus 62-145 1/2 hp motor, stand, motor pulley and V-belt. 129 lbs.

**Model 43-111** ..... \$224.99



**Get the Most Out of Your Shaper**  
Hardbound booklet completely covers the safe operation of the shaper and the many different jobs it will do. 43-470—\$2.00






































## Rockwell Accessories Help Fulfill Your Creative Urge

### 3-Lip Shaper Cutters

All 1/2" hole.



 09-100 1/2" Cove 3/16" Or. Rd. \$5.50	 09-101 3/16" Cove, 3/8" Bead \$5.25	 09-102 3/8" & 3/16" Or. Rd., 1/4" Bead \$5.75	 09-103 1/4" & 1/2" Or. Rd. \$5.75	 09-106 90° Flute \$4.95	 09-109 1/4" Flute \$4.25	 09-110 Drawer Joint \$5.25	 09-120 Ogee \$4.75	 09-121 Female Sash \$4.50	 09-123 Cab. R.H. Male \$4.50	 09-124 Cab. L.H. Male \$4.50	 09-125 Cab. R.H. Female 4.95
 09-126 Cab. L.H. Female \$4.95	 09-128 Male Sash \$5.75	 09-131 Glue Joint \$5.75	 09-135 Cove & Bead Mldg. L.H. \$5.95	 09-136 Cove & Bead Mldg. R.H. \$5.95	 09-137 Cove & Bead Cope R.H. \$6.75	 09-138 Cove & Bead Cope L.H. \$5.95	 09-190 3-Bead (3/16" Bead) \$5.25	 09-195 5-Bead (1/4" Bead) \$5.25	 09-196 Wedge Tongue \$6.75	 09-197 Wedge Groove \$6.75	
 09-202 1/2" Bead \$5.95	 09-203 1/4" Bead \$5.95	 09-204 3/4" Flute \$6.95	 09-211 1" Flute \$5.75	 09-212 3/8" Bead \$4.50	 09-214 Panel Raising \$6.00	 09-219 1" Bead \$6.25	 09-231 3/16" Or. Rd. \$5.25	 09-235 3/8" Flute \$4.25	 09-238 3/4" Bead \$5.50	 09-247 Door Lip \$5.95	 09-253 1/2" & 1/4" Radii R.H. \$5.75

### Straight Cutters All 1/2" hole.

No.	Diameter	Width	Price
09-107	1/2"	1/2"	\$3.75
09-130	1 3/8"	3/4"	4.25
09-104	1"	1"	5.25
09-105	1 1/2"	1 1/2"	5.75
09-108	1 1/16"	1/4"	3.75
09-127	3/8"	3/8"	3.95
09-139	2 7/32"	1/4"	3.95
09-129	3/8"	3/8"	4.60

### Spacing Collars All 1/2" hole.

No.	Diameter	Width	Price
09-133	1 3/16"	1/8"	\$1.95
09-150	1 3/8"	3/16"	1.75
09-155	3/4"		1.95
09-217	1 3/32"		1.75
09-134	1 3/32"	1/4"	1.95
09-140	1 3/16"		1.75
09-215	1 15/32"		1.75
09-151	1 7/8"		2.25

No.	Diameter	Width	Price
09-142	3/4"		\$1.95
09-171	1 3/16"		1.95
09-173	1 1/16"		1.95
09-143	3/8"		1.95
09-172	1 3/16"		2.25
09-144	1"	3/8"	1.95
09-173	1 1/16"		1.95
09-145	1 1/8"		1.95
09-132	1 3/32"		2.25
09-141	1 3/16"		1.95
09-146	1 1/4"		1.95

No.	Diameter	Width	Price
09-174	1 3/16"		\$1.95
09-175	1 7/16"		1.95
09-176	1 7/8"		2.25
09-147	1 3/8"		1.95
09-148	1 1/2"	3/8"	2.25
09-177	1 3/8"		2.25
09-178	1 1/16"		2.25
09-149	1 3/4"		2.25
09-180	1 7/8"		2.25
09-179	1 13/16"		2.25



### Stub Spindle

No. 43-190. For counter-bored 1/2" hole 3-lip shaper cutters:  
Nos. 09-128 and 09-137 ..... \$7.99



### Ring Guard

No. 43-817 For added safety and convenience on curved and circular edge shaping. Complete with mounting bracket ..... \$13.50




### 3-Knife Cutterhead

No. 43-343. For use with cutterhead knives. With bushing for use on 1/2" and 3/4" shaper spindles ..... \$12.50  
For Cutterhead Knives, See Table Saw Accessories, Page 18.



### Spring Hold Downs

No. 43-983. Used in conjunction with the shaper fence on straight shaping operations to hold work against the fence and table ..... \$9.95



### Stand

No. 50-305 For shaper. .... \$29.95

### Retractable Casters

No. 49-362 For 50-305 stand ..... \$22.99



# Rockwell Delta wood lathe . . . creative woodworking at its best



**\$139<sup>99</sup>**

**Model 46-111**  
(Stand extra)

Machine Data	Wood Lathe
Speeds (when equipped with optional 1725 rpm motor)	990, 1475, 2220 and 3250 RPM
Capacity	14" Diameter x 3" Over Bed Gap; 11" x 36" Over Bed
Spindle Nose	Inboard: 1"—8 RH Thread Outboard: 1"—8 LH Thread
Spindle Hole	3/8" (Completely through spindle)
Headstock and Tailstock Tapers	No. 2 MT
Ram Travel	2 1/4"

## Recommended Motors for Lathe

1/2 HP heavy duty (ball bearings), capacitor start, 1725 RPM, 115 V. with integral, manual reset and thermal overload protection.

**Model 62-142 . . . . . \$64.99**

1/3 HP heavy duty (ball bearings), capacitor start, 1725 RPM, 115 V. with integral, manual reset and thermal overload protection.

**Model 62-134 . . . . . \$49.99**

1/3 HP standard duty (sleeve bearings), split phase, 1725 RPM, 115 V.

**Model 62-133 . . . . . \$34.99**

## Four Speed Wood Lathe

Precision turning of woods, plastics and light metals. Unmatched versatility for extra jobs such as sanding, buffing, polishing and drilling with low-cost attachments. Four speeds. Lubricated-for-life ball bearings. Built-in indexing mechanism. Universal tool support. Graduated tailstock ram. Single piece cast iron bed with 1 1/2" precision ground ways.

**Standard Equipment:** Basic machine, drive center, cup center, 3" face plate, 6" offset tool rest, 4" and 12" tool rests and tool rest base. 92 lbs. Motor Optional.

**Model 46-111 . . . . . \$139.99**

## Four Speed Wood Lathe with Stand

Includes Model 46-111 standard equipment, plus stand, 3/8" bore motor pulley and V-belt. 204 lbs. Motor Optional.

**Model 46-369 . . . . . \$199.99**




**Get The Most Out of Your Lathe**  
Hardbound booklet describing the safe operation of lathes, special operations, accessories, etc. 46-170 \$2.00



Precision turning of wood, plastic and light metals.


# Rockwell Lathe accessories give your work the professional touch



## Turning Tools

Made of special high alloy steel with precision ground cutting edges and fitted with 1 1/4" dia. by 10 1/2" extra-long hardwood handles.


No. 46-121 1" Skew	\$4.95
No. 46-124 1/2" Skew	\$3.75
No. 46-122 3/4" Gouge	\$4.95
No. 46-126 1/2" Gouge	\$4.50
No. 46-123 1/4" Gouge	\$4.50
No. 46-125 1/2" Parting	\$3.95
No. 46-127 1/2" Spear	\$3.75
No. 46-128 1/2" Rd.	\$3.75
No. 46-130 Set of 8	\$34.95



## Tungsten Alloy Tipped Turning Chisels

For free-hand turning of woods and plastics, plus aluminum, brass, bronze, copper, mild steel and similar materials. Tungsten alloy tipped and diamond lapped, the chisels have an extremely long cutting life and require little or no sharpening. Choose from two sets: 1/2" round and square nose for small fine work or 1/4" round and square nose for large heavy work.

No. 46-801 1/2" Sq. Nose Chisel	\$8.95
No. 46-802 1/2" Rd. Nose Chisel	\$8.95
No. 46-803 1/4" Sq. Nose Chisel	\$8.50
No. 46-804 1/4" Rd. Nose Chisel	\$8.50



## Centers


All with No. 2 Morse Taper shank.

A No. 46-933 Drive Center. For headstock	\$6.50
B No. 46-439 Cup Center. For tailstock	\$4.25
C No. 46-940 Screw Center. For headstock	\$9.50
D No. 46-490 Ball Bearing Center. For tailstock. With three interchangeable centers	\$19.95




## Knockout Bar

No. 46-905. For removing headstock centers..... \$4.95



## Face Plates

No. 46-936. 3" Diameter. For inboard face plate turning. With 1"-8 RH thread ..... \$3.99  
No. 46-937. 6" Diameter. For inboard or outboard face plate turning. With 1"-8 RH and LH threads..... \$7.95




## Screw-on Arbors

With 1"-8 thread. For mounting wire, fiber and buffing wheels.

No. 46-144. For Inboard Use. (RH)	\$7.95
No. 46-145. For Outboard Use (LH)	\$8.50


For Wire, Fiber and Buffing Wheels, Buffing Compounds, etc., See Grinder Accessories Page 27.



## Tool Rests

All with 1" dia. shank.

No. 46-690. 4" Tool Rest	\$3.25
No. 46-692. 12" Tool Rest	\$4.25
No. 46-694. 24" Tool Rest. For long turnings. Has two 1" dia. shanks. Requires extra Tool Support Base	\$8.50
No. 46-695. Right Angle Tool Rest. For face plate work.	\$4.95




## Tool Rest Bases

No. 46-831. Standard Type. Handles 1/2" to 1" dia. shank tool rests ..... \$6.95

No. 46-830. Offset Type. Handles 1/2" to 1" dia. shank tool rests. For face plate turning over gap ..... \$8.50


## Floor Stand for Tool Rests

No. 46-697. Handles 1/2" to 1" dia. shank tool rests. For out board turning . \$34.95



## Adapter

No. 46-935. With 1/2" dia. x 1 1/4" plain shank, #2 Morse Taper shank to fit lathe spindle. For mounting sanding drums. Use drawbolt to hold taper safely engaged in lathe spindle ..... \$4.95



## Sanding Drums

With 1/2" dia. mounting hole including one abrasive sleeve.


Use with 46-935 adapter.

No. 46-038. 3" dia. x 3"	\$12.95
No. 46-538. 1 1/2" dia. x 2"	\$5.95




## Draw Bolt

No. 46-850. For holding No. 2 M.T. attachments with internal thread in lathe spindle ..... \$4.50



## Geared Chuck

No. 46-968. 0 to 1/2" capacity. With No. 2 M.T. shank. For horizontal drilling operations ..... \$15.95  
For Abrasive Sleeves and Machine Spur Bits, See Drill Press Accessories Page 11.



## 8 1/2" Sanding Disc

No. 46-934. With 1"-8 RH thread for mounting. Permits disc sanding operations ..... \$8.95  
For Abrasive Discs and Disc Adhesive, See Sander Accessories, Page 25.

## Stand

No. 50-721. For lathe..... \$64.99




## Wood Turning Duplicator

For safe, accurate duplication of complex wood turnings. Takes only a few minutes to install on your Rockwell Lathe. Enables you to reproduce complicated turnings perfectly—patterns, balusters, lamps, table and chair legs—up to 4" diameter; 28 1/2" long. Saves valuable time; eliminates costly mistakes.

No. 46-840. .... \$102.80

## Metal turning accessories

When equipped with metalworking accessories, your lathe can turn nonferrous metals, do drilling and boring operations, etc.




## Compound Slide Rest

No. 46-965. Accurately built with dovetail ways and graduated compound base that rotates 360°. Feed screws are covered to protect them from dirt and chips—fitted with micrometer sleeves, accurately graduated. With tool post, rocker, washer and wrench ..... \$99.50


## Holder, Boring Bars, Tool Bits

For use with No. 46-965 Slide Rest. Holds both boring bars and 1/4" square bits. Holder has two holes to facilitate holding tool. Made of case hardened tool steel.



## Holder

No. 46-963. For Boring Bar and Tool Bits ..... \$7.75



## Boring Bars

No. 46-966. Set of three, 1/8", 3/16" and 1/4"..... \$9.50



## Tool Bits

No. 46-954. Set of four. High-speed steel, 1/4" x 1/4" x 1 1/2". Includes roughing, finishing, right corner and left corner. \$11.50



## 60° Plain Center

No. 46-939. For metal turning, hardened and ground. \$7.25



## Chucks

No. 46-950. 4", 3-Jaw Universal Type. Threaded 1"-8 RH. Has three internal and three external jaws ..... \$74.20  
No. 46-951. 4", 4-Jaw Independent Type. Threaded 1"-8 RH. Has one set of jaws, reversible for internal or external work ..... \$39.75



# NEW

## 9" Homecraft® Motorized Table Saw

Only \$129<sup>99</sup>

(Extension wings and rails extra)

Cut trim... rip plywood... build cabinets... or whatever else your imagination suggests. This is a real buy. The best in the ready-to-run market. Big capacity and plenty of excellent features found only on higher-priced units. An outstanding value for any workshop.



Check these quality features:

- Powerful, direct-drive motor develops 1½ hp
- 100% ball bearing construction for trouble-free performance
- "See-thru" blade guard with splitter and antikickback fingers
- Self-aligning rip fence
- Thermal overload protection with reset button

(See Page 16 for Details)



"See-thru" blade guard, splitter and antikickback fingers for safety.



Protected power switch and overload reset button.



Heavy duty ball bearing equipped motor develops 1½ HP.



Cut accurate compound miters like a pro.



Fast and easy bevel ripping.



Dado cuts for quick accurate shelf assembly (with dado accessory).

# NEW

## Double Insulated 7½" Commercial Duty Saw

Built tough to work long hours on the roughest kind of jobs; double insulated for maximum safety. Rugged. Safe. Reliable. At \$39.99, this new workhorse is the best saw value of the year.

Quality features include:

- Powerful 10-amp, 1¾-hp burnout protected motor
- Bronze/ball bearings at stress points for smooth operation
- Tough Lexan® housing for long life
- Premium ground blade and rip guide standard
- Telescoping blade guard for safety



Only \$39<sup>99</sup>

(See Page 13 for Details)

Catalog CP-112 6/73 40Y (17)

Litho in U.S.A.



Power Tool Division  
Rockwell International

400 North Lexington Avenue  
Pittsburgh, Pennsylvania 15208